

Citrus Fruit (Not Bearing)

Oranges, Lemons, Limes, Satsumas, Tangerines

GROWTH STAGE	PRODUCTS	Average Dosage / 100Lt Water	Maximum Dosage / Hectare	Water Volume / Hectare	COMMENTS
September to March	Vegetative	400ml	2Lt	2000 - 3500Lt	Apply at monthly intervals
April to August	Amino Gluconate Citrus Flush	600ml	4Lt		Apply bi-monthly during this growth period
Additional Note	Use Maxi-Kelp as a growth booster at a dosage of 350-500ml/100Lt water at a maximum of 8-15Lt/ha. First application after leaf flush.				

Citrus Fruit (Bearing)

Oranges, Lemons, Limes, Satsumas, Tangerines

GROWTH STAGE	PRODUCTS	Average Dosage / 100Lt Water	Maximum Dosage / Hectare	Water Volume / Hectare	COMMENTS
Post Harvest	Man-O-CuZin	160ml	8Lt	2000 - 3500Lt	Apply at monthly intervals, between August and March
New Flush	1:0:0 (30) LB Urea	1400ml	40Lt		Apply once during this growth period
	ZinCoBor	275ml	4Lt		
Flowering	Man-O-CuZin	500ml	3Lt		Apply twice during this growth period
	Amino Gluconate K	600ml	4Lt		
Fruiting	Amino Gluconate Ca	200ml	6Lt		Apply three times during this growth period
	Amino Gluconate K	600ml	4Lt		
Ripening	Amino Gluconate Ca	200ml	6Lt		Apply once during this growth stage
	Amino Gluconate K	600ml	4Lt		
	Amino Gluconate Zn	80ml	1Lt		
Additional Note	Use Maxi-Kelp as a growth and fruit booster at a dosage of 350-500ml/100Lt water at a maximum of 8-15Lt/ha. First application after leaf flush.				

OR

Citrus Fruit (Bearing)

Oranges, Lemons, Limes, Satsumas, Tangerines

GROWTH STAGE	PRODUCTS	Average Dosage / 100Lt Water	Maximum Dosage / Hectare	Water Volume / Hectare	COMMENTS
Post Harvest	Man-O-CuZin	160ml	8Lt	2000 - 3500Lt	Apply at monthly intervals, between August and March
New Flush	1:0:0 (30) LB Urea	1400ml	40Lt		Apply once during this growth period
	Amino Gluconate Citrus Flush	600ml	5Lt		
Flowering	Amino Gluconate Citrus Flower	500ml	3Lt		Apply twice during this growth period
Fruiting	Amino Gluconate Citrus Fruit	600ml	5Lt		Apply twice during this growth period. First application as soon as fruit maturation starts
Additional Note	Use Maxi-Kelp as a growth and fruit booster at a dosage of 350-500ml/100Lt water at a maximum of 8-15Lt/ha. First application after leaf flush. To enhance fruit colour apply Colour-It twice starting with 8-10Lt/ha 30 days prior to the expected harvest and repeat (optional) 14 days later at 3-4Lt/ha				